



**BIBLIOGRAPHY**  
of resources utilized in the creation of  
**THE COMPREHENSIVE**  
**NEURODIAGNOSTIC CHECKLIST**  
**CNC1020**



# References

- Alper KR., Chabot RJ., Kim AH., Prichep LS, John ER (1990): Quantitative EEC correlates of crack cocaine dependence. *Psychiatry Research* 35:95-106.
- Amen, D. A., Paldi, J. H., & Thisted, R A (1993.) *Evaluating with brain SPECT imaging*. Paper presented at the meeting of the American Psychiatric Association.
- American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, Text Revision. Washington, D.C., American Psychiatric Association, 2000.
- Bachevalier, J. & Mishkin, M. (1986). Visual recognition impairment follows ventromedial but not dorsolateral prefrontal lesions in monkeys. *Behavioral Brain Research*, 20.
- Baehr, E., Rosenfeld, J.P. & Baehr, R., Clinical Use of an Alpha Asymmetry Neurofeedback Protocol in the Treatment of Mood Disorders: Follow-up Study One to Five Years Post Therapy, *Journal of Neurotherapy*, vol 4, #4, 2001.
- Barabasz, A., & Barabasz, M. (1995). Attention deficit hyperactivity disorder: Neurological basis and treatment alternatives. *Journal of Neurotherapy*, 1(1), 1-10.
- Barkley RA, Grodzinsky G, DuPaul GJ. Frontal lobe functions in attention deficit disorder with and without hyperactivity: a review and research report. *Journal of Abnormal Psychiatry* 1992; 20(2) 163-188.
- Baxter, L. Brain imaging as a tool in establishing a theory of brain pathology in obsessive compulsive disorder. *Journal of Clinical Psychiatry*, 51:22-25, 1990.
- Baxter, L.; Phelps, M.; Mazziotta, J.; Guze, B.; Schwartz, J.; and Selin, C. Local cerebral glucose metabolic rates in obsessive-compulsive disorder. *Archives of General Psychiatry*, 44:211-218, 1987.
- Behar, D.; Rapoport, J.; Berg, C.; Denckla, M.; Mann, L.; Cox, C.; Fedjo, P.; Zahn, T.; and Wolfman, M. Computerized tomography and neuropsychological test measures in adolescents with obsessive-compulsive disorder, *American Journal of Psychiatry*, 141:363-369, 1984.
- Benson, D. (1991): The role of frontal dysfunction in attention deficit hyperactivity disorder. *Journal of Child Neurology* 6(suppl):S9-S12.
- Bruneau, N., Roux, Guerin, P., Garreau, B., & Lelord, G. (1993). Auditory stimulus intensity responses and frontal midline theta rhythm. *Electroencephalography and Clinical Neurophysiology*, 86, 213-216.
- Carlson, N.R., *Physiology of Behavior*, Allyn and Bacon, Needham Heights, Massachusetts, 2001.
- Carter. R. (1998) *Mapping the Mind*. Berkeley: University of California Press.
- Castellanos FX, Giedd JN, Eckburg P. et al (1994): Quantitative morphology of the caudate nucleus in attention deficit hyperactivity disorder, *American Journal of Psychiatry* 151:1791-1796.
- Chabot, R.J. & Serfontein, G., Quantitative Electroencephalographic Profiles of children with attention deficit disorder, *Society of Biological Psychiatry*, 1996; 40:951-963
- Chabot, R. J., Merkin, H., Wood, L. M., Davenport, T. L., & Serfontein, G. (1996). Sensitivity and specificity of QEEG in children with attention deficit or specific developmental learning disorders, *Clinical Electroencephalography*, 27(1), 26-34.
- Cherkes-Julkowski, M., Sharp. S., & Stolzenberg, S., (1997) *Rethinking Attention Deficit Disorders* Brookline Books, Inc., Cambridge, Massachusetts.
- Cooper, G. "Clinician's Digest," *Psychotherapy Networker*. January/February 2003, vol. 27, no.1. pp15-16.
- Clinician's Digest, *Psychotherapy Networker*, May/June 2003.
- Crawford, H. J. (1994), Brain dynamics and hypnosis: Attentional and disattentional processes. *International Journal of Clinical and Experimental Hypnosis*, 42, 204-232.
- Crawford, H. J., & Gruzelier, J. H. (1992). A midstream view of the neuropsychophysiology of hypnosis: Recent research and future directions. In E. Fromm & M.R. Nash (Eds.), *Contemporary hypnosis research* (pp. 227-266). New York: Guilford Press.
- Davidson. R.J. (1995). Cerebral asymmetry, emotion and affective style. In R. J. Davidson & K, Hugdal (Eds.). *Brain asymmetry*. (pp. 361-387). Cambridge: M.I.T. Press.
- Davidson, R.J. (1998). Anterior electrophysiological asymmetries, emotion, and depression: Conceptual and methodological conundrums. *Psychophysiology*. 35, 607-614.
- DeArmond, S.J., Fusco, M.M. & Dewey, M.M. (1989) *Structure of the Human Brain: a Photographic Atlas* (Third Edition). New York: Oxford University Press.

- Evans, J.R., & Park, N., Quantitative EEG Abnormalities in a Sample of Dyslexic Persons". *Journal of Neurotherapy*, vol. 2, #1, Fall/Winter 1996, p.1-5.
- Flor-Henry, P.; Yeudall, L.; Koles, Z.; and Howarth, B. Neuropsychological and power spectral EEG investigations of the obsessive-compulsive syndrome. *Biological Psychiatry*, 14:119130, 1979.
- Frank Y (1993): Visual event related potentials after methylphenidate and sodium valproate in children with attention deficit hyperactivity disorder. *Clinical Electroencephalography* 24:19-24.
- Fuster, J. H. (1989). *The prefrontal cortex (2<sup>nd</sup> ed.)*. New York: Raven Press.
- George, M.; Melvin, J.; and Iceilner, C. Obsessive-compulsive symptoms in neurological disease: A review. *Behavior Neurology*, 5:3-10, 1992.
- Giedd J, Castellanos F, Casey B. et al (1994): Quantitative morphology of the corpus callosum in attention deficit hyperactivity disorder. *American Journal of Psychiatry* 151:665-669.
- Gittelman R, Mannuzza S, Shenker R, Bonagura N (1985): Hyperactive boys almost grown up. *Archives of General Psychiatry* 42 :937-947.
- Goldman-Rakic, P.S. (1992). Working memory and the mind. *Scientific American*, 267(3), 110-117.
- Gottlieb, I. H., Rangarath, C., & Rosenfeld, J.P. (1998). Frontal EEG alpha asymmetry, depression and cognitive functioning. *Cognition Emotion*. 12, 449-478.
- Grattan, L.M., & Eslinger, P.). (1991). Frontal lobe damage in children and adults: A comparative review. *Developmental Neuropsychology*, 7(3), 283-326.
- Grattan, L.M., Eslinger, P.J., Damasio, A., & Damasio, H. (1989). Cognitive developmental study of childhood frontal lobe lesion. *The Clinical Neuropsychologist*, 3, 287.
- Harris, F.J. (1978). On the use of Windows for harmonic analysis with the discrete Fourier transformation. *Proc. IEEC*, 16, 51-84.
- Heilman K, Voeller K, Nadeau S (1991): A possible pathophysiologic substrate of attention deficit hyperactivity disorder. *Journal of Child Neurology* 6(suppl)S74S79.
- Henriques, J.B. & Davidson, R.J., Regional brain electrical asymmetries discriminate between previously depressed and healthy control subjects. *Journal of Abnormal Psychology*, 1990, 99:22-31.
- Henriques J. B., & Davidson, R.J. Left frontal hypoactivation in depression, *Journal of Abnormal Psychology*, 1991, 100: 535-545.
- Hollander, E.; Schiffman, E.; Cohen, B.; Rivera-Stein, M.; Rosen, W.; Gorman, J.; Fyer, A.; Papp, L.; and Liebowitz, M. Signs of central nervous system dysfunction in obsessive-compulsive disorder. *Archives of General Psychiatry*. 47:27-32, 1990.
- Hughes, J.R. & John. E.R. (1999). Conventional and quantitative electroencephalography in psychiatry. *Journal of Neuropsychiatry*, 11, 190-208.
- Hynd, G., & Semrud-Clikeman, M. (1989). Dyslexia and brain morphology. *Psychological Bulletin*, 106, 447-482.
- Hynd G, Semrud-Clikeman M, Lorys A, Novey E, Eliopoulos D, Lyytinen H(1991): Corpus callosum morphology in attention deficit-hyperactivity disorder: Morphometric analysis of MRI. *Journal of Learning Disorders* 24:141-146.
- Jenike, M, Drug treatment of obsessive-compulsive disorder. In: *Obsessive-Compulsive Disorders. Theory and Management*. Chicago: Year Book Medical Publishers, 1990. pp. 249-282.
- Joseph, R. (1990) *Neuropsychology, Neuropsychiatry, and Behavioral Neurology*. New York: Plenum Press.
- Katz, R.; DeVeugh, I.; and Landau, P. Clomipramine in obsessive-compulsive disorder. *Biological Psychiatry*. 28:401-414, 1990.
- Laplaine ,D.; Levasseur, M.; Pillon, B.; Dubois, B.; Baulac, M.; Mazoyer, B.; Dinh, S.; Sette, G.; Danze, F.; and Baron, J. Obsessive-compulsive and other behavioural changes with bilateral basal ganglia lesions. *Brain*, 112:699-725, 1989.
- Lhermitte, F. (1986). Human autonomy and the frontal lobes. II. Patient behavior in complex and social situations. The environmental dependency syndrome. *Annals of Neurology*, 19.
- Lou H, Henriksen L., Bruhn P, Borner H, Nielsen J (1989): Striatal dysfunction in attention deficit and hyperkinetic disorder. *Archives of Neurology*, 46:48-52.

- Lubar JF, Bianchini KJ, Calhoun WH, Lambert EW, Brody ZH, Shabsin HS (1985): Spectral analysis of EEG differences between children with and without learning disabilities. *Journal of Learning Disabilities* 18:403-408.
- Lubar J (1991): Discourse on the development of ELO diagnostics and biofeedback for attention-deficit/hyperactivity disorders. *Biofeedback and Self-Regulation* 16:201-224.
- Lubar, J. F., & Lubar, J. O. (1999). Neurofeedback assessment and treatment for attention deficit hyperactivity disorders. In J. R. Evans & A. Abarbanel (Eds.), *Introduction to quantitative EEG and neurofeedback* (pp. 103-143). San Diego: Academic Press.
- Luria, A.R. (1966). *The higher cortical functions in man*. New York: Basic Books.
- Mann CA, Lubar, J, Zimmerman A, Miller C, Muenchen R (1992): Quantitative analysis of EEG in boys with attention deficit hyperactivity disorder: Controlled study with clinical implications. *Pediatric Neurology*, 8:30-36.
- Marosi E, Harmony T, Sanchez L. et al (1992): Maturation of the coherence of EEG activity in normal and learning-disabled children. *Electroencephalography and Clinical Neurology*, 83 :350-357.
- Martinot, J.; Allilaire, I; Mazoyer, B.; Hantouche, E., Huret, I.; Legaut-Demare, F.; Deslauriers, A.; Hardy, P.; Pappata, S.; Baron, J; and Syrota, A. Obsessive-compulsive disorder: A clinical, neuropsychological and positron emission tomography study. *Acta Psychiatrica Scandinavica*, 82:233-242, 1990.
- Matsuuru M, Okubo Y, Toru M. et al (1993): A cross-national study of children with emotional and behavioral problems: A WHO collaborative study in the Western Pacific region. *Biological Psychiatry* 34:59-65.
- Miller, B.L. & Cummings, J.L. (ed). (1999) *The Human Frontal Lobes*. New York: The Guilford Press.
- Netter, F.H., *The CIBA Collection of Medical Illustrations*, vol. 1, Ciba-Geigy Corporation, Summit, New Jersey, 1991.
- Nordahl, T.; Benkelfat, C.; Semple, W.; Gross, M.; King, A.; and Cohen, R. Cerebral glucose metabolic rates in obsessive compulsive disorder. *Neuropsychopharmacology*, 2:23-28, 1989.
- Perros, P.; Young, E.; Ritson, J.; Price, G.; and Mann, P. Power spectral EEG analysis and EEG variability in obsessive-compulsive disorder, *Brain Topography*. 4:187-192, 1992.
- Pollock VE, Schneider LS (1990): Quantitative waking EEG research on depression. *Biological Psychiatry* 27:757-780.
- Price, B.H., Daffner, K.R., Stowe, R.M., & Mesulam, M.M. (1990). The compartmental learning disabilities of early frontal lobe damage. *Brain*, 113, 1383-1393.
- Prichep, L.S., Mas, F., Hollander, E., Liebowitz, M., John, E.R., Almas, M., De Caria, C.M. & Levine, R.H., Quantitative Electroencephalographic Subtyping of Obsessive-Compulsive Disorder, *Psychiatry Research: Neuroimaging*, 50:25-32, 1993.
- Ratcliff-Baird, B, ADHD & Stuttering: Similar EEG Profiles Suggest Neurotherapy as an Adjunct to Traditional Speech Therapies, *Journal of Neurotherapy*, vol. 5, 4, 2001 Robbins TW, Roerts AC, Owen AM et al. Monoaminergic-dependant cognitive functions in the prefrontal cortex in monkey and man. In:Thierry AM, Glowinski J, Goldman-Rakic P Christen Y (eds). *Motor and Cognitive Functions of the Prefrontal Cortex*. chap 6. Berlin Heidelberg: Springer-Verlag; 1994: 94-111.Rosenfeld, J. P., An EEG Biofeedback Protocol for Affective Disorders, *Clinical Electroencephalography*, vol 31, #1, 2000, p 7-12.
- Rosenfeld, J. P., An EEG Biofeedback Protocol for Affective Disorders, *Clinical Electroencephalography*, vol 31, #1, 2000, p 7-12
- Rourke, B.P. (1987). Syndrome of nonverbal learning disabilities: The final common pathway of white matter disease/dysfunction? *The Clinical Neuropsychologist*, 1, 209-234.
- Semrud-Clikeman, M., & Hynd, G.W. (1990). Right hemisphere dysfunction in nonverbal leaning disabilities: Social, academic, and adaptive functioning in adults and children. *Psychological Bulletin*, 107, 196-209.
- Semrud-Clikeman, M., Hooper, S., Hynd, G., Hem, K., Presley, R., & Watson, T. (1996). Prediction of group membership in developmental dyslexia, attention deficit hyperactivity disorder, and normal controls using brain morphometric analysis f magnetic resonance imaging. *Archives of Clinical Neuropsychology*, 11, 521-528.

- Shallice, T. (1982). Specific impairments of planning. In D.E. Broadbent & L. Weiskrantz (Eds.), *The neuropsychology of cognitive functions*. London: The Royal Society
- Shapiro, E.G., Hughes, S.J., August, G.J., & Bloomquist, M.L. (1993). Processing of emotional information in children with attention deficit hyperactivity disorder. *Development Psychology*, 9(3-4), 207-224.
- Shue KL, Douglas VI Attention deficit hyperactivity disorder and the frontal lobe syndrome *Brain and Cognition* 1992; 20: 104-124.
- Simeon JG, Ferguson HB. Fleet JW ( 1986): Bupropion effects in attention deficit and conduct disorders *Canadian Journal of Psychiatry* 31:581-585.
- Steriade, M., Gloor, P., Llinas, R. R., Lopes da Silva, F., & Mesulam, M. M. (1990). Report of the IFCN committee on basic mechanisms. *Electroencephalography and Clinical Neurophysiology*, 76, 481-508.
- Stromsta, C. P. (1959). Experimental blockage of phonation by distorted side tone, *Journal of Speech and Hearing Research*, 2, 286-301.
- Stromsta, C. P. (1967). The effects of altering the fundamental frequency of auditory masking on the speech performance of stutterers. Technical Report of Public Service Grant No, B-1331, Ohio State University.
- Stromsta, C. P. (1972). Interaural phase disparity of stutterers and nonstutterers. *Journal of Speech and Hearing Research*, 15, 771-780.
- Stromsta, C. P. (1986), *Elements of stuttering*. Michigan: Atsmorts Publishing.
- Swanson, J., Posner, M., Cantwell, D., Wigal, S., Crinella, F., Filipek, P., Emerson, J., Tucker, D., Nalcioglu, O., *Attention-Deficit/Hyperactivity Disorder: Symptom Domains, Cognitive Processes, and Neural Networks*, The Attentive Brain, Parasuramam, R., Ed., Bradford Book, MIT Press, Cambridge, MA (1998).
- Swedo, S.; Rapoport, J.; Cheslow, D.; Leonard, H.; Ayoub, E.; Hosier, D.; and Wald, E, High prevalence of obsessive-compulsive symptoms in patients with Sydenham's chorea. *American Journal of Psychiatry*, 146:246-249, 1989.
- Trexler, L.E. & Zappala, G. (1988). Neuropathological determinants of acquired attention disorders in traumatic brain injury, 8(3), 291-302.
- Weintraub, S., & Mesulam, M.M. (1983). Developmental learning disabilities of the right hemisphere: Emotional, interpersonal, and cognitive components. *Archives of Neurology*, 40, 463-468.
- Williams, D., Stott, C. M., Goodyer, I. M., & Sahakian, B. J. (2000). Specific language impairment with or without hyperactivity: Neuropsychological evidence for frontostriatal dysfunction. *Developmental Medicine and Child Neurology*, 42(6), 368-375.
- Zametkin A, Nordahl T, Gross M et al (1990) Cerebral glucose metabolism in adults with hyperactivity of childhood onset. *New England Journal of Medicine*, 323: 1361-1366.
- Zametkin, AJ, Liebenauer LL, Fitzgerald GA et al (1993): Brain metabolism in teenagers with attention deficit-hyperactivity disorder. *Archives of General Psychiatry*, 50:333-340.